

Quality of the Soil, Timber, &c. on the Township Lines.		East Boundary.		South Boundary.		Description of the Land, Timber, &c. on the Interior Sectional Lines.		Corner on the River, Indian Boundary and Reverse.				
Sec.				Sec.				Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
36	Rolling second rate, Beech, ash, Sugar, W. G. Spice, Hawth, Sugar,			36	Gently rolling second rate, Elm, ash, Sugar, Beech, Lym, Oak, Maple, Spice, Hawth			1	Beech	10	S 25 N 09	
25	Level, first rate, Beech, Sugar, ash, Elm, Buckeye, Walnut, Spice, Pawtaw,			35	Level second rate, ash, Elm, Maple, Oak, Beech, Lym, Spice & Willow			2	Beech	24	S 65 N 22	
24	Much same as Section One.			34	Rolling second rate, Beech, Sugar, Oak, Walnut &c. Spice			3	ash	18	N 41 W 50	
13	Same as Section One.			33				4	Buckeye	15	N 83 E 17	
12	Same as Section One.			32				5	ash	14	N 88 W 16	
1	Gently rolling second rate, Beech, Sugar, Oak, Elm, Lym, &c. W. G. much the same.			31				6	W oak	16	S 31 E 12	
								7	Lycamore	14	S 79 W 12	
								8	Hackberry	10	N 87 E 19	
								9	do	14	S 42 W 21	
								10	Hamthorn	04	S 55 E 08	
								11	Ironwood	03	East	07
								12	Beech	06	N 87 E 07	
								13	Hickory	18	N 81 W 14	
								14	Sugar	10	N 88 W 08	
								15	Hackberry	06	N 54 E 05	
								16	Pin Oak	05	S 25 E 02	
								17	Buckeye	16	N 30 W 10	
								18	Hickory	10	N 56 W 34	
								19	W oak	24	S 41 E 05	
								20	Buckeye	06	N 67 E 13	
								21	Buckeye	14	S 19 W 21	
								22	Elm	140	N 10 W 33	
								23	Buckeye	12	N 80 E 47	
								24	Beech	20	N 55 W 27	
								25	Wood	03	S 1 E 21	
								26	W oak	18	S 21 E 15	
								27	Buckeye	22	N 1 W 11	
								28	Buckeye	10	S 39 W 14	
								29	W Elm	04	N 25 W 21	
								30				
								31	Blk Oak	03	S 20 W 04	
								32	Sugar	18	S 80 E 22	
								33	Beech	30	S 33 W 48	
								34	Walnut	33	S 87 W 41	
								35	ash	24	N 71 W 52	
								36	Poplar	14	S 70 W 47	
								37	W oak	30	Corner	
								38	Beech	16	N 46 W 27	
								39	do	22	S 57 W 16	
								40	Oak	04	N 65 W 38	
								41	Blk Elm	24	N 43 W 46	
								42	Butternut	08	N 72 E 21	
								43	do	12	S 79 W 32	
								44	Beech	18	N 31 W 26	
								45	do	18	N 88 E 11	
								46	W oak	18	N 52 E 39	
								47	Beech	18	N 40 W 53	
								48	Wood	04	N 38 W 13	
								49	Beech	14	N 43 W 52	
								50	Beech	24	N 38 W 05	
								51	Blk & Hard	06	S 27 W 10	
								52	W oak	10	N 29 W 29	
								53	Beech	20	S 82 E 33	
								54	Lym	10	N 47 E 37	
								55	Elm	10	N 16 W 43	
								56	Beech	08	N 89 W 15	
								57	Br Oak	20	S 35 E 23	
								58	Wood	05	N 41 W 25	
								59	Beech	25	S 24 W 60	
								60	Lym	07	N 63 W 15	
								61	Blk Elm	09	N 29 E 28	
								62	Br Oak	20	S 23 E 12	
								63	Sugar	20	N 24 W 17	
								64	Beech	09	N 71 W 27	
								65	Buckeye	07	N 43 W 25	
								66	Pin Oak	09	N 61 W 33	
								67	Lym	15	N 59 E 06	
								68	Sugar	25	S 64 W 28	
								69	Beech	11	N 24 E 51	
								70	Lycamore	11	S 18 E 10	
								71	W Elm	07	N 49 E 25	

Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
A	W Oak 20	5 7 7 11	11	
a	do 25	5 6 7 11	27	
B	Red Oak 40	5 6 2 11	63	
b	Hickory 18	5 5 8 11	53	
C	Lynx 10	5 3 5 11	35	
c	Red Oak 22	5 3 7 11	46	
D	Beech 18	5 4 1 11	10	
d	do 12	5 6 3 11	17	
E	Beech 10	5 6 1 11	34	
e	do 20	5 6 6 11	26	
F	Lynx 12	5 11 11	33	
f	Hickory 06	5 8 11	30	
G	Beech 26	5 2 11	17	
g	do 7	5 3 11	15	
H	Br Oak 12	5 2 2 11	22	
h	Beech 12	5 4 8 11	48	
I	W Oak 26	5 11 11	21	
i	Maple 10	5 3 4 11	67	
J	Beech 12	5 6 5 11	45	
j	Walnut 04	5 1 11	35	
K	Br Oak 10	5 3 11	17	
k	W Elm 15	5 3 8 11	28	
L	Beech 12	5 3 11	15	
l	do 07	5 3 5 11	22	
M	Hickory 10	5 6 0 11	26	
m	Ambleam 6	5 11 11	33	
N	Hickory 09	5 2 8 11	17	
n	do 04	5 2 6 11	34	
O	Buckeye 24	5 2 9 11	07	
o	Beech 19	5 7 4 11	30	
P	W Elm 12	5 3 2 11	02	
p	W Oak 10	5 7 2 11	14	
Q	Beech 14	5 1 6 11	47	
q	do 26	5 3 11	44	
R	Lynx 05	5 2 2 11	07	
r	Cherry 03	5 6 0 11	35	
S	W Oak 30	5 1 1 11	23	
s	Beech 19	5 8 4 11	33	
T	Beech 12	5 2 6 11	16	
t	do 20	5 2 3 11	62	
U	Br Oak 18	North	22	
u	Maple 10	5 6 9 11	26	
V	W Oak 30	5 6 9 11	46	
v	Maple 12	5 6 1 11	20	
W	Lynx 30	5 5 1 11	33	
w	Hickory 04	5 1 11	20	
X	Poplar 14	5 1 2 11	14	
x	do 10	5 4 8 11	20	
Y	Br Oak 15	5 3 11	10	
y	do 07	5 3 3 11	31	
Z	Beech 08	5 1 1 11	34	
z	do 03	5 1 3 11	30	

Interior Section Corners Described.

Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
25, 26, 35, 36,	Beech 14	5 8 6 11	20	
23, 24, 25, 26,	Lynx 26	5 7 5 11	38	
13, 14, 23, 24,	Walnut 12	5 2 2 11	139	
11, 12, 13, 14,	W Oak 20	5 1 1 11	163	
1, 2, 11, 12,	Sup Oak 23	5 4 0 11	14	
26, 27, 34, 35,	W Elm 06	5 8 5 11	13	
22, 23, 26, 27,	Hickory 22	5 2 11	32	
14, 15, 22, 23,	W Elm 18	5 1 9 11	16	
10, 11, 14, 15,	do 36	5 2 5 11	20	
2, 3, 10, 11,	do 12	5 6 5 11	09	
27, 28, 33, 34,	W Oak 30	5 7 11	16	
21, 22, 27, 28,	Beech 09	5 7 11	14	
15, 16, 21, 22,	Red Elm 10	5 4 9 11	28	
9, 10, 15, 16,	Buckeye 04	5 7 6 11	20	
3, 4, 9, 10,	Lynx 22	5 5 0 11	31	
28, 29, 32, 33,	do 09	5 7 5 11	65	
20, 21, 28, 29,	Beech 26	5 4 6 11	18	
16, 17, 20, 21,	do 13	5 7 2 11	49	
8, 9, 16, 17,	Beech 21	5 5 4 11	46	
4, 5, 8, 9,	do 05	5 6 6 11	17	
29, 30, 31, 32,	Hickory 12	5 5 1 11	36	
19, 20, 29, 30,	W Oak 12	5 1 0 11	19	
17, 18, 19, 20,	Beech 18	5 6 6 11	25	
7, 8, 17, 18,	do 20	5 6 2 11	36	
5, 6, 7, 8,	Buckeye 20	5 2 5 11	184	
	Beech 20	5 2 0 11	34	
	Beech 12	5 5 5 11	19	
	Lynx 10	5 3 0 11	24	
	Beech 24	5 2 2 11	20	
	Hickory 10	5 2 7 11	32	
	Lynx 03	5 4 1 11	12	
	do 04	5 3 2 11	07	
	Beech 16	5 8 6 11	19	
	W Wood 08	5 7 6 11	09	
	Buckeye 10	5 8 8 11	22	
	do 12	5 2 8 11	19	
	Beech 24	5 3 9 11	17	
	do 24	5 7 4 11	15	
	Buckeye 10	5 4 8 11	03	
	do 14	5 1 6 11	23	
	Buckeye 22	5 3 1 11	39	
	Lynx 05	5 3 3 11	10	
	Beech 20	5 6 3 11	53	
	W Walnut 12	5 3 9 11	33	
	Gark 12	5 8 8 11	40	
	Beech 20	5 8 5 11	08	
	Red Oak 40	5 4 11	32	


Interior Quarter Section Corners Described.

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
M to U at 1	Beech 22	5 8 7 11	39	
2	do 07	5 6 9 11	13	
3	Red Oak 07	5 7 11	38	
4	do 07	5 2 9 11	29	
5	Beech 14	5 7 6 11	12	
6	Lynx 07	5 7 7 11	17	
7	do 04	5 2 7 11	21	
8	do 16	5 1 1 11	31	
9	Buckeye 10	5 6 8 11	22	
10	Walnut 20	5 1 11	11	
11	Hawthorn 04	5 6 0 11	18	
12	Lynx 04	5 6 7 11	26	
L to V at 1	Beech 30	5 5 0 11	26	
2	do 22	5 8 2 11	27	
3	Br Oak 30	5 8 0 11	09	
4	Buckeye 09	5 8 0 11	07	
5	W Elm 22	5 2 0 11	33	
6	Br Oak 22	5 1 6 11	54	
7	Hawthorn 06	5 3 11	07	
8	Lynx 06	5 2 9 11	39	
9	Crutcher			
10	Beech 20	5 3 11	23	
11	W Oak 30	5 5 9 11	32	
K to W at 1	Beech 10	5 6 11	20	
2	W Wood 09	5 4 11	20	
3	W Wood 07	5 3 11	06	
4	Buckeye 11	5 7 11	26	
5	Hickory 15	5 2 2 11	144	
6	Lynx 04	5 2 2 11	107	
7	Beech 25	5 5 9 11	08	
8	W Wood 08	5 2 5 11	21	
I to X at 1	Beech 10	5 6 6 11	10	
2	do 20	5 3 7 11	29	
3	Beech 20	5 5 3 11	16	
4	do 08	5 3 2 11	22	
5	Beech 10	5 1 2 11	36	
6	Lynx 34	5 3 6 11	32	
7	Elm 24	5 5 2 11	17	
8	Beech 19	5 4 0 11	12	
9	Beech 23	5 2 7 11	07	
10	do 15	5 3 1 11	32	
M to Y at 1	Hickory 22	5 6 5 11	42	
2	Beech 20	5 1 3 11	45	
3	Beech 12	5 2 11	35	
4	W Wood 07	5 6 11	10	
5	Beech 22	5 2 6 11	15	
6	do 22	5 1 2 11	49	
7	Beech 18	5 5 3 11	30	
8	do 10	5 8 11	22	
9	Beech 14	5 1 11	17	
10	do 26	5 9 11	40	
11	W Walnut 14	5 1 11	30	
12	Red Elm 14	5 6 5 11	35	
O to F at 1	Beech 20	5 5 5 11	09	
2	do 24	5 6 3 11	30	
3	Buckeye 06	5 2 2 11	10	
4	Gark 09	5 4 9 11	24	
5	Lynx 12	5 6 6 11	20	
6	do 12	5 7 0 11	19	
7	Lynx 22	5 8 11	29	
8	W Wood 08	5 2 0 11	19	
9	Maple 15	5 2 8 11	17	
10	Beech 18	5 7 11	30	
11	Gark 22	5 3 11	30	
12	Beech 10	5 1 8 11	27	

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
P to E at 1	Lynx 12	5 5 7 11	12	
2	W Oak 10	5 5 2 11	25	
3	W Oak 30	5 6 11	10	
4	W Wood 10	5 1 6 11	10	
5	Hickory 13	5 3 9 11	16	
6	W Elm 12	5 3 1 11	24	
7	Br Oak 22	5 6 0 11	15	
8	Lynx 05	5 1 6 11	37	
9	Beech 12	North	01	
10	do 14	5 6 11	42	
11	Beech 18	5 5 5 11	27	
12	do 08	5 7 7 11	30	
Q to D at 1	Beech 22	5 3 5 11	20	
2	W Oak 16	5 2 0 11	23	
3	Lynx 24	5 5 8 11	07	
4	Beech 22	5 4 3 11	26	
5	Br Oak 23	5 1 9 11	47	
6	do 24	5 7 0 11	143	
7	W Oak 26	5 8 7 11	04	
8	do 23	5 6 0 11	18	
9	Beech 20	North	04	
10	do 09	5 2 1 11	44	
11	Beech 10	5 3 3 11	22	
12	do 18	5 6 6 11	14	
R to C at 1	Buckeye 10	5 6 9 11	08	
2	Walnut 06	5 7 3 11	14	
3	Hickory 10	5 4 0 11	16	
4	W Beech 06	5 4 2 11	32	
5	W Oak 24	5 7 11	12	
6	Beech 20	5 5 4 11	22	
7	Beech 16	5 5 3 11	16	
8	do 14	5 1 2 11	23	
S to B at 1	Lynx 07	5 2 11	22	
2	Beech 16	5 2 9 11	23	
3	Lynx 10	5 5 8 11	08	
4	Hickory 06	5 5 4 11	05	
5	Hickory 10	5 4 9 11	33	
6	Lynx 05	5 3 8 11	104	
7	W Elm 09	5 6 6 11	09	
8	W Wood 07	5 1 7 11	44	
9	Beech 10	5 6 6 11	34	
10	Lynx 12	5 5 7 11	36	
11	Red Oak 28	5 6 4 11	27	
12	Red Oak 18	5 5 0 11	23	

Corners on River, Reserve, Indian Boundary, etc.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
39	Buckeye 08	5 3 4 11	23	
40	Hickory 18	5 3 2 11	28	
41	Buckeye 11	5 7 11	12	
42	Lynx 10	5 4 11	31	
43	Sycamore 12	5 7 11	16	
44	do 12	5 6 2 11	13	
45	Beech 08	5 6 1 11	09	
46	do 22	5 2 1 11	26	
47	Sycamore 05	5 3 2 11	05	
48	W Elder 06	5 5 11	14	
49	Hickory 08	5 1 7 11	28	
50	W Locust 09	5 7 11	21	
51	W Walnut 10	Corner		
52	Lynx	Corner		
53	Sycamore 12	5 3 9 11	36	
54	Lynx 06	5 6 2 11	66	
55	W Elm 10	5 1 1 11	70	
56	Hickory 22	5 5 2 11	100	
57	Buckeye 09	5 8 4 11	08	
58	W Elm 12	5 8 8 11	37	
59	W Walnut 09	5 3 3 11	34	
60	do 09	5 4 11	20	
61	Sycamore 20	5 2 11	18	
62	W Elm 10	5 8 11	50	
63	W Walnut 12	5 3 11	28	
64	W Elm 20	5 7 4 11	34	
65	Oak 3	5 6 4 11	14	
66	Hickory 04	5 1 6 11	15	
67	Red Elm 07	5 3 5 11	34	
68	do 12	5 7 6 11	45	
69	Sup Oak 3	5 5 7 11	21	
70	Lynx 2	5 3 11	35	

Township N^o 28 N. Range N^o 4 E. 2^d Mer. Ind^a.



SW part, Surveyed in 1828 by Thomas Brown, D.S.
 N.W. " " 1834 " " " "
 N.E. " " 1837 " Jeremiah Smith. " "
 S.E. " " 1839 " At. S. C. Vance. " "

I certify that the above is a true copy of the
 Original plat, in this Office.
 Surveyor General's Office.
 Detroit Nov. 1. 1849.

Lucius Lyon,
 Sur. Genl.